

- Stainless steel static pass box / pass thru

Introduction


Stainless steel Pass box is the most common design and low-profit design for cleanroom, its main function is to transfer items from two same level cleanliness level area to high level to lower.

The housing is made of stainless steel plate #201 or #304 or #316L, easy to clean and anti-rust, the doors are mechanical interlocked.

- Door: Mechanical Interlocker
- Window: tempered glass
- UV light: Yes
- Input: 220V 50Hz or 110V 60Hz
- Power: 10-30W (only for UV light)

Optional accessories

- Pressure gauge
- LED light
- Alarm
- Phone



-Parameters

Item No	EA-SPXS500	EA-SPXS600	EA-SPXS700	EA-SPXS800
Outside L*D*H (mm)	660*560*600	760*660*700	860*760*800	960*860*900
Inside L*D*H (mm)	500*500*500	600*600*600	700*700*700	800*800*800
Outside housing	SUS # 201 # 304 #316L T 1.0mm			
Inside housing	SUS # 201 # 304 #316L T 1.0mm			
UV light	8W * 1	8W * 1	8W * 1	8W * 2
Door	SUS # 201 # 304 #316L T 1.0mm			
Window	Tempered glass			
Plug	US, EU, AU, CN plug available			
Control	Manual			
Interlock	Mechanical interlocker			
* For both standard and customized sizes, efficiency available				

-Details



Stainless steel housing

Exquisite appearance, anti-rust, strong construction, ensure that the paint will not fall off within 10 years, and easy to clean, not easy to remain dust



Tempered glass window

High-quality glass doors, without scratch marks, high transparent, clearly Strong material, not easy to damage, can be used for a long time



Rubber seal on doors

Good air tight



Electro galvanized alloy handle

Strong material, reliable, long term usage.



UV Light

For sterilization.



CHANGSHA EAWAYFILTER EQUIPMENT CO.,LTD

Website: www.cleanroom-ffu.com

Email: sales@cleanroom-ffu.com

Mob: 0086-13631590514

Whatsapp: 0086-13631590514

Add: 9th Building, Jianshan Road, Changsha, Hunan, China

- Painted Steel Pass Box for cleanroom

Introduction




Painted steel Pass box is the most common design and low-profit design for cleanroom, its main function is to transfer items from two same level cleanliness level area to high level to lower.

The housing is made of painted steel metal plate, easy to clean and price is relatively better than SUS, the doors are mechanical interlocked.

- Door: Mechanical Interlocker
- Window: tempered glass
- UV light: Yes
- Input: 220V 50Hz or 110V 60Hz
- Power: 10-30W (only for UV light)

Optional accessories

- Pressure gauge
- LED light
- Alarm
- Phone



- Parameters


Item No	EA-SPX500	EA-SPX600	EA-SPX700	EA-SPX800
Outside L*D*H (mm)	660*560*600	760*660*700	860*760*800	960*860*900
Inside L*D*H (mm)	500*500*500	600*600*600	700*700*700	800*800*800
Outside housing	Painted steel T 1.2mm			
Inside housing	SUS # 201 T 1.0mm			
UV light	8W * 1	8W * 1	8W * 1	8W * 2
Door	Painted steel			
Window	Tempered glass			
Plug	US, EU, AU, CN plug available			
Control	Manual			
Interlock	Mechanical interlocker			
* For both standard and customized sizes, efficiency available				

-Details



Painted steel housing

Exquisite appearance, excellent paint process, ensure that the paint will not fall off within 10 years, and easy to clean, not easy to remain dust



Tempered glass window

High-quality glass doors, without scratch marks, high transparent, clearly Strong material, not easy to damage, can be used for a long time



Rubber seal on doors

Good air tight



Electro galvanized alloy handle

Strong material, reliable, long term usage.



UV Light

For sterilization.



CHANGSHA EAWAYFILTER EQUIPMENT CO.,LTD

Website: www.cleanroom-ffu.com

Email: sales@cleanroom-ffu.com

Mob: 0086-13631590514

Whatsapp: 0086-13631590514

Add: 9th Building, Jianshan Road, Changsha, Hunan, China

- Static pass box / pass thru in pharma

Introduction




This is a typical design pass box for pharma industries, this is a static design without HEPA and blower, the inside and outside are made of stainless steel 201 or 304.

The control system is a centralized control panel, from here to control the UV light, door open, power and a indicator of power and door status. (Open / close available)

- Door: Electromagnetic Interlocker
- Window: tempered glass
- UV light: Yes
- Input: 220V 50Hz or 110V 60Hz
- Power: 10-30W (only for UV light)

Optional accessories

- Pressure gauge
- LED light
- Alarm
- Phone



-Parameters

Item No	EA-PASPXS400	EA-PASPXS500	EA-PASPXS600	EA-PASPXS700
Outside L*D*H (mm)	600*600*600	700*700*700	800*800*800	900*900*900
Inside L*D*H (mm)	400*400*520	500*500*620	600*600*720	700*700*820
Outside housing	SUS # 201 # 304 #316L T 1.0mm			
Inside housing	SUS # 201 # 304 #316L T 1.0mm			
UV light	8W * 1	8W * 1	8W * 1	8W * 2
Door	SUS # 201 # 304 #316L T 1.0mm			
Window	Tempered glass			
Plug	US, EU, AU, CN plug available			
Control	Manual			
Interlock	Electromagnetic interlocker			
	* For both standard and customized sizes, efficiency available			

-Details



Stainless steel housing

Exquisite appearance, anti-rust, strong construction, ensure that the paint will not fall off within 10 years, and easy to clean, not easy to remain dust



Tempered glass window

High-quality glass doors, without scratch marks, high transparent, clearly Strong material, not easy to damage, can be used for a long time



Rubber seal on doors

Good air tight



Stainless steel handle

Strong material, reliable, long term usage.



UV Light

For sterilization.



CHANGSHA EAWAYFILTER EQUIPMENT CO.,LTD

Website: www.cleanroom-ffu.com

Email: sales@cleanroom-ffu.com

Mob: 0086-13631590514

Whatsapp: 0086-13631590514

Add: 9th Building, Jianshan Road, Changsha, Hunan, China

- Air shower pass box for clean room

-Introduction

Air shower pass box built-in with a blower, HEPA filter and stainless steel nozzles, it can generate a purified airflow to remove the dust on the surface of trans items. It used for some high level clean room and trans items from non-clean area to clean area.

There are type A and type B two designs, to meet different install requirement.

- Door: Electromagnetic Interlocker
- Window: tempered glass
- UV light: Yes
- Input: 220V 50Hz or 110V 60Hz
- Power: 160-240W

Optional accessories

- LED light
- Alarm
- Phone



-Parameters

Item No	EA-DPB500	EA- DPB600	EA- DPB700	EA- DPB800
Type	A		B	
Outside L*D*H (mm)	950*680*1550	1050*780*1650	950*800*1500	1050*900*1600
Inside L*D*H (mm)	600*600*600	700*700*700	510*730*1310	610*830*1410
Outside housing	Painted Steel, SUS # 201 #304 T 1.0mm			
Inside housing	SUS # 201 #304 T 1.0mm			
UV light	8W * 1	8W * 2	8W * 1	8W * 2
Power	1200W	1200W	1500W	1500W
Door	Painted steel or Stainless Steel			
Window	Tempered glass			
Plug	US, EU, AU, CN plug available			
Control	Electronic + Manual			
Interlock	Electromagnetic Interlocker			
	* For both standard and customized sizes, efficiency available			

-Details



Stainless steel nozzles



LED light



Door closer (Only for Type B)



Indicator and emergency stop



Infrared sensor + air return



H13 HEPA filter



CHANGSHA EAWAYFILTER EQUIPMENT CO.,LTD

Website: www.cleanroom-ffu.com

Email: sales@cleanroom-ffu.com

Mob: 0086-13631590514

Whatsapp: 0086-13631590514

Add: 9th Building, Jianshan Road, Changsha, Hunan, China

- Dynamic Pass box for clean room

Introduction



Dynamic pass box built-in with a blower, HEPA filter and stainless steel nozzles, it can generate a purified airflow to remove the dust on the surface of trans items. It used for some high level clean room and trans items from non-clean area to clean area.

There are pressure gauge to check the pressure drop of HEPA filter and DOP test port to check the efficiency of HEPA.

- Door: Electromagnetic Interlocker
- Window: tempered glass
- UV light: Yes
- Input: 220V 50Hz or 110V 60Hz
- Power: 160-240W

Optional accessories

- LED light
- Alarm
- Phone



-Parameters

Item No	EA-DPB500	EA- DPB600	EA- DPB700	EA- DPB800
Outside L*D*H (mm)	700*570*1100	800*670*1200	900*770*1300	1000*870*1400
Inside L*D*H (mm)	500*500*500	600*600*600	700*700*700	800*800*800
Outside housing	SUS # 201 #304 T 1.0mm			
Inside housing	SUS # 201 #304 T 1.0mm			
UV light	8W * 1	8W * 1	8W * 1	8W * 2
Power	160W	190W	210W	240W
Door	Painted steel			
Window	Tempered glass			
Plug	US, EU, AU, CN plug available			
Control	Electronic + Manual			
Interlock	Electromagnetic Interlocker			
	* For both standard and customized sizes, efficiency available			

-Details



UV light



Control Panel




Exhaust air grille / airflow return



Pressure gauge



DOP test port



Stainless steel handle



CHANGSHA EAWAYFILTER EQUIPMENT CO.,LTD

Website: www.cleanroom-ffu.com

Email: sales@cleanroom-ffu.com

Mob: 0086-13631590514

Whatsapp: 0086-13631590514

Add: 9th Building, Jianshan Road, Changsha, Hunan, China